

02 Recessed Spots Fixed LED>The 12W COB IP65

10112TP/B/W



12W COB LED recessed spot, IP44, for general application.
Suitable for bathroom installation.

Requires 700mA constant current driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89015A

Related items



89015AT

Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family
Order Code
Colour
Material
Shape
Height
Diameter
Cutout Hole Diameter
Recessed Ceiling
Depth Required
Indoor
Adjustable

The 12W COB IP65
10112TP/B/W
Black
Die Cast
Circular
100mm
82mm
75mm
Yes
110mm
Yes
No

Electrical Characteristics

Fitting

Input Type
Input Current
Safety Class
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
Cable Length
F Mark

Constant Current
700mA

12W
IP44
LED built in
COB
Epistar
40cm


Illumination Data

Colour Temperature
Lumen Output

3000K
1100lm

Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

91,67lm/W
90
38°

Yes

Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

12cm
12cm
8,5cm
0.332kg
50
5291889052449
9405413990

Certification & Warranty

Warranty
Weee Directive

5 Years
Yes

switch to
one light!

