

04 Recessed Spots Adjustable LED>The Interchangeable Rings Range
Aluminium

11107K/W/W



7W COB LED adjustable recessed spot with interchangeable rings.

Ring must be ordered separately.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



050102/B



050102/BS



050102/C



050102/CU



050102/W



89015A

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The Interchangeable Rings Range Aluminium
Order Code	11107K/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	73mm
Diameter	85mm
Cutout Hole Diameter	76mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	10V
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Cree
LED Number	1
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature3000K

Lumen Output550lm

Light Efficiency78,57lm/W

CRI80

Beam Angle35°

Illumination Diagram

Dark LightYes

Packing Info

Box Length9,5cm

Box Width9,5cm

Box Height8,5cm

Box Weight0,260Kg

Pcs/Carton30

Barcode5291889054160

HS Code9405409900

Certification & Warranty

Warranty3 Years

Weeee DirectiveYes

switch to
one light!

one
LIGHT

