



New 2022 Edition 2>Plafo

62132N/BBS/W



32W LED Decorative Plafo, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

|                 |                    |
|-----------------|--------------------|
| Item Group      | New 2022 Edition 2 |
| Family          | Plafo              |
| Order Code      | 62132N/BBS/W       |
| Colour          | Brushed Brass      |
| Material        | Aluminium          |
| Shape           | Circular           |
| Height          | 132mm              |
| Diameter        | 455mm              |
| Surface Ceiling | Yes                |
| Indoor          | Yes                |
| Adjustable      | No                 |

| Gear             | External-Included                                                                     |
|------------------|---------------------------------------------------------------------------------------|
| Fitting + Driver |                                                                                       |
| Input Voltage    | 220-240V                                                                              |
| 50 Hz            | Yes                                                                                   |
| 60 Hz            | Yes                                                                                   |
| Safety Class     |    |
| Power(Watts)     | 32W                                                                                   |
| IP Rating        | IP20                                                                                  |
| Light Source     | LED built in                                                                          |
| Dimmable         | No                                                                                    |
| F Mark           |  |

|               |                                                                                       |
|---------------|---------------------------------------------------------------------------------------|
| Fitting       |                                                                                       |
| Input Type    | Constant Current                                                                      |
| Input Current | 800mA                                                                                 |
| Voltage       | 40V                                                                                   |
| Power(Watts)  | 32W                                                                                   |
| IP Rating     | IP20                                                                                  |
| Light Source  | LED built in                                                                          |
| LED Type      | SMD 2835                                                                              |
| LED Brand     | Bridgelux                                                                             |
| F Mark        |  |

|               |            |
|---------------|------------|
| Gear          |            |
| Gear Type     | Led Driver |
| Input Voltage | 220-240V   |
| 50 Hz         | Yes        |
| 60 Hz         | Yes        |
| Power(Watts)  | 26,4-35,2W |

|                  |                                                                                     |
|------------------|-------------------------------------------------------------------------------------|
| Power Factor     | 0,9                                                                                 |
| Constant Current | Yes                                                                                 |
| 800mA            | 33-44V                                                                              |
| IP Rating        | IP20                                                                                |
| Safety Class     |  |
| Dimmable         | No                                                                                  |
| Housing Material | Plastic                                                                             |
| Output Terminal  | Cable                                                                               |
| Brand            | TRIDONIC                                                                            |

Illumination Data

|                      |                                                                                       |
|----------------------|---------------------------------------------------------------------------------------|
| Colour Temperature   | 3000K                                                                                 |
| Lumen Output         | 2720lm                                                                                |
| Light Efficiency     | 85lm/W                                                                                |
| CRI                  | 80                                                                                    |
| Illumination Diagram |  |

Packing Info

|            |               |
|------------|---------------|
| Pcs/Carton | 1             |
| Barcode    | 5291889071600 |
| HS Code    | 9405409900    |

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

