



14 Wall & Ceiling LED>Outdoor Ceiling Cylinders Die cast

67138C/AN/W



6W Outdoor Ceiling Cylinder, IP54.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Outdoor Ceiling Cylinders Die cast
Order Code	67138C/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Circular
Height	105mm
Diameter	80mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	10V
Power(Watts)	5W
IP Rating	IP54
Light Source	LED built in
LED Type	COB
LED Brand	Edison

Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3-6W
Power Factor	0,9

Constant Current
500mA
IP Rating
Safety Class
Dimmable
Ambient Temp
Operating Temp
Brand

Yes
12-24V
IP20

No
55°C
70°C
Eaglerise

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram


3000K
440lm
73,33lm/W
80
35°


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

12cm
9cm
15cm
0,4Kg
18
5291889042549
9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

