



15 Plafo>Outdoor Slim LED Plafo Die cast

67362A/W/W



25W LED slim plafo, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	15 Plafo
Family	Outdoor Slim LED Plafo Die cast
Order Code	67362A/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	238mm
Width	238mm
Height	46mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Adjustable	No
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	25W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	
Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	55V
Power(Watts)	19,25W
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 3014
LED Brand	Edison
LED Number	264
F Mark	
Gear	
Gear Type	Led Driver
Input Voltage	220-240V

50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
350mA
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Brand

Yes
Yes
17-25W
0,9
Yes
48-72V DC
IP20

No
Plastic
Cable
Eaglerise

Illumination Data


Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
1600lm
75lm/W
80
120°


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

25,5cm
25,5cm
6,5cm
1,05kg
8
5291889039426
9405409900



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

