



15 Plafo>Outdoor Slim LED Plafo Die cast

67363A/W/W



30W LED slim plafo, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	15 Plafo
Family	Outdoor Slim LED Plafo Die cast
Order Code	67363A/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	300mm
Width	300mm
Height	49mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Adjustable	No
------------	----

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	40V
Power(Watts)	28W
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 3014
LED Brand	Edison
LED Number	299
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	100-240V

50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
700mA
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Brand

Yes
Yes
20-30W
0,9
Yes
28-43V
IP20

No
Plastic
Cable
Eaglerise

Illumination Data


Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
2500lm
83,33lm/W
80
120°


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

25,5cm
25,5cm
6,5cm
1,05kg
8
5291889040798
9405409900



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

