

Product Datasheet

www.1-light.eu

08 Strips & Profiles>The IP67 COB Strip

7846W/C



IP67 Flexible COB LED light strip, 14W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 6,25cm.

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions

Cut every 6,25cm	
	====
	12,5mm

Related items



Physical Specification

20030

Width

Item Group08 Strips & ProfilesFamilyThe IP67 COB StripOrder Code7846W/CMaterialSiliconeShapeRectangularLength5000mm

12,5mm

Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	14W/m
IP Rating	IP67
Light Source	LED built in
LED Type	СОВ
F Mark	F

| Colour Temperature | 4000K | | Lumen Output | 1350lm/m

Light Efficiency 96,42lm/W

CRI 90

Illumination Diagram

Packing Info

Pcs/Carton	40
Barcode	5291889071327
HS Code	9405409989

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes



