


Profile 4050

Ref. 18050



IP20



- Wall-to-wall mounting possible
- Glare rating UGR < 19 possible
- Increased space for cable routing
- Easy maintenance


APPLICATION

- main lighting

MONTAGE

- to the surface or suspended, using dedicated accessories
- can be easily connected into runs

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum	Length	Ref
Color	■ silver anodized	1000 mm	18050ANODA_1
With the possibility of sealing up to IP	20	2005 mm	18050ANODA_2
Possible shapes of the luminaire	rectangular	3010 mm	18050ANODA_3
LED gluing width A	27.6 mm		
Number of LED strips A (8 mm wide)	3		
Width	40 mm		
The cover is cut to the length of the profile	yes		
Can be easily connected into runs	yes		


Profile 4050

Ref. 18050

KLUŚ Inspiring
Solutions

Main lighting	yes
Decorative lighting	yes
Wire out back of extrusion	yes

SAMPLE PROJECTS




COVERS

NAME		MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
JUN-40		PMMA	92	 clear	17055
POL-40		PC	73	 frosted	17057


END CAPS

NAME		MATERIAL	COLOR	REF.
4050		ABS	 gray	24335

LED



K-1210-12V
K-1210-12V



K-1210-24V
K-1210-24V



K-1220-12V
K-1220-12V



K-1220-24V
K-1220-24V




K-1275-12V
K-1275-12V

Profile 4050


Ref. 18050



K-1275-24V
K-1275-24V




K-1820-HD-24V
K-1820-HD-24V




K-1910-HD-24V
K-1910-HD-24V



WP-K-1640-HD-IP65-24V
WP-K-1640-HD-IP65-24V



WP-K-1210-12V
WP-K-1210-12V




WP-K-1210-24V
WP-K-1210-24V



WP-K-1220-12V
WP-K-1220-12V




WP-K-1220-24V
WP-K-1220-24V




WP-K-1275-12V
WP-K-1275-12V



WP-K-1275-24V
WP-K-1275-24V



WP-K-1820-HD-24V
WP-K-1820-HD-24V



WP-K-1910-HD-IP65-24V
WP-K-1910-HD-IP65-24V



WP-K-1220-IP65-12V
WP-K-1220-IP65-12V




WP-K-1220-IP65-24V
WP-K-1220-IP65-24V




K-HE-0480-HD-24V
K-HE-0480-HD-24V




K-HE-0960-HD-24V
K-HE-0960-HD-24V




K-HE-1440-HD-24V
K-HE-1440-HD-24V



K-HE-1920-HD-24V
K-HE-1920-HD-24V



K-LR-1000-24V
K-LR-1000-24V




K-CR-1210-24V
K-CR-1210-24V




K-CR-1220-24V
K-CR-1220-24V




K-CR-1275-24V
K-CR-1275-24V



K-CR-1820-HD-24V
K-CR-1820-HD-24V




K-CR-1910-HD-24V
K-CR-1910-HD-24V



K-1275-RGB-12V
K-1275-RGB-12V

Profile 4050


Ref. 18050




K-1275-RGB-24V
K-1275-RGB-24V



K-1920-RGB+W-24V
K-1920-RGB+W-24V



WP-K-1275-RGB-12V
WP-K-1275-RGB-12V



WP-K-1275-RGB-24V
WP-K-1275-RGB-24V



WP-K-1920-RGB+W-24V
WP-K-1920-RGB+W-24V



K-1530-RGB+W-24V
K-1530-RGB+W-24V




WP-K-1530-RGB+W-24V
WP-K-1530-RGB+W-24V




K-1920-120-RGB-24V
K-1920-120-RGB-24V




WP-K-1920-120-RGB-24V
WP-K-1920-120-RGB-24V




K-27/65-1920-24V
K-27/65-1920-24V




WP-K-27/65-1920-24V
WP-K-27/65-1920-24V



K-22/50-1728-24V
K-22/50-1728-24V



K-30/18-1770-24V
K-30/18-1770-24V




WP-K-22/50-1728-24V
WP-K-22/50-1728-24V


OTHER ACCESSORIES



FASTENER SET
NEO-ZM-PLUS-3
42129



SPRING
BLOK
42731V1



SPRING
GP
00293



HEAD
BZP-ZO
42214



HEAD
BZP-ZZ
42215

Profile 4050

Ref. 18050



HEAD
BZP
42213



FASTENER
FI-10-ZM-P
42244



FASTENER
FI-10-ZM-W
42242



FASTENER
UCHO-ZM
42512, 42525



FASTENER
FI-8-LIN-ZMZ
42286, 42286L9010,
42286L9005



FASTENER
PUSZ-PRET-ZM
42276, 42276L9010,
42276L9005



FASTENER
PUSZ-PRET-LEB
42253



FASTENER
PUSZ-LIN-MR
42278, 42278L9010,
42278L9005



FASTENER
PUSZ-LIN-ZM
42275, 42275L9010,
42275L9005



FASTENER
DP-ZZ
00651



FASTENER
DP-ZO
00649




CONNECTOR
ZM-180
42717




CONNECTOR
ZM-PION-45
42314



CONNECTOR
ZM-Y120-G
42336




CONNECTOR
ZM-X90-G
42334




CONNECTOR
ZM-X60-G
42332



CONNECTOR
ZM-X45-G
42330



CONNECTOR
ZM-T90-G
42328



CONNECTOR
ZM-T60-G
42326



CONNECTOR
ZM-T45-G
42324




CONNECTOR
ZM-PION-120
42320



CONNECTOR
ZM-135-G
42310



CONNECTOR
ZM-PION-135
42719



CONNECTOR
ZM-120-G
42308



CONNECTOR
ZM-90-G
42306

Profile 4050

Ref. 18050



CONNECTOR
ZM-60-G
42304




CONNECTOR
ZM-45-G
42338



CONNECTOR
ZM-120
42728



CONNECTOR
ZM-90
42716




CONNECTOR
ZM-PION-90
42718




CONNECTOR
ZM-135
42720



CONNECTOR
ZM-MINI-180
44501



FASTENER SET
M12
42610



FASTENER SET
M13
42611



FASTENER SET
RD-1
42658NI, 42658GSS,
42658L9005, 42658L9010



FASTENER SET
RG-1
42647NI, 42647GSS,
42647L9010, 42647L9005



FASTENER SET
RD-2
42653NI, 42653GSS,
42653L9010, 42653L9005




FASTENER SET
RD-3
42659NI, 42659GSS,
42659L9010, 42659L9005




FASTENER SET
RD-4
42657NI, 42657GSS,
42657L9010, 42657L9005



FASTENER SET
NEO-ZM-PLUS-4
42130



BLOCK
ZM
42520



SCREW
2.9X6.5 DIN7981F
70283