

Profile IMET

Ref. 18012



- Lighting angle: 30 Degrees
- Space for power supply and electronic components
- Easy maintenance

APPLICATION

- decorative lighting


MONTAGE

- to the surface, using a dedicated mounting track and properly selected screws

ADDITIONAL INFORMATION

- the power supply can be secured inside the profile using dedicated accessories

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum	Length	Ref
Color	 silver anodized	1000 mm	18012ANODA_1
With the possibility of sealing up to IP	20	2005 mm	18012ANODA_2
Possible shapes of the luminaire	polygonal	3010 mm	18012ANODA_3
Lighting at an angle	30		
LED gluing width A	46 mm		
Number of LED strips A (8 mm wide)	5		
Width	69.8 mm		
The cover is cut to the length of the profile	yes		
Decorative lighting	yes		
Compartment for power supply	yes		

Profile IMET

Ref. 18012

KLUŚ Inspiring
Solutions

Wire out back of extrusion

yes

SAMPLE PROJECTS



COVERS

NAME		MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
HSP-47		PC	73	frosted	17051
			94	clear	17062


END CAPS

NAME		MATERIAL	COLOR	REF.
IMET-P		PP	gray	24016
IMET-L		PP	gray	24017

LED



K-1210-12V
K-1210-12V



K-1210-24V
K-1210-24V



K-1220-12V
K-1220-12V




K-1220-24V
K-1220-24V




K-1275-12V
K-1275-12V



K-1275-24V
K-1275-24V




K-1820-HD-24V
K-1820-HD-24V




K-1910-HD-24V
K-1910-HD-24V



WP-K-1640-HD-IP65-24V
WP-K-1640-HD-IP65-24V



WP-K-1210-12V
WP-K-1210-12V




WP-K-1210-24V
WP-K-1210-24V



WP-K-1220-12V
WP-K-1220-12V




WP-K-1220-24V
WP-K-1220-24V




WP-K-1275-12V
WP-K-1275-12V



WP-K-1275-24V
WP-K-1275-24V



WP-K-1820-HD-24V
WP-K-1820-HD-24V



WP-K-1910-HD-IP65-24V
WP-K-1910-HD-IP65-24V



WP-K-1220-IP65-12V
WP-K-1220-IP65-12V




WP-K-1220-IP65-24V
WP-K-1220-IP65-24V




K-HE-0480-HD-24V
K-HE-0480-HD-24V




K-HE-0960-HD-24V
K-HE-0960-HD-24V




K-HE-1440-HD-24V
K-HE-1440-HD-24V




K-HE-1920-HD-24V
K-HE-1920-HD-24V




K-LR-1000-24V
K-LR-1000-24V




K-1275-RGB-12V
K-1275-RGB-12V




K-1275-RGB-24V
K-1275-RGB-24V




K-1920-RGB+W-24V
K-1920-RGB+W-24V



WP-K-1275-RGB-12V
WP-K-1275-RGB-12V



WP-K-1275-RGB-24V
WP-K-1275-RGB-24V



WP-K-1920-RGB+W-24V
WP-K-1920-RGB+W-24V

Profile IMET

Ref. 18012



K-1530-RGB+W-24V
K-1530-RGB+W-24V




WP-K-1530-RGB+W-24V
WP-K-1530-RGB+W-24V




K-1920-120-RGB-24V
K-1920-120-RGB-24V



WP-K-1920-120-RGB-24V
WP-K-1920-120-RGB-24V



K-22/50-1728-24V
K-22/50-1728-24V



K-30/18-1770-24V
K-30/18-1770-24V



WP-K-22/50-1728-24V
WP-K-22/50-1728-24V



WP-K-30/18-1770-24V
WP-K-30/18-1770-24V


OTHER ACCESSORIES



FASTENER
P-BOX-Z
42554



FASTENER
W-BOX-Z
00643



FASTENER SET
M15
42614



GLAND
6x1,2
00802



GLAND
19x1,6
00820



MOUNTING PAD
45
70457