


Profile 3035

Ref. 18039



- Easy maintenance
- Wide range of accessories
- Cable management space


APPLICATION

- main lighting

MONTAGE

- suspended or to the surface, using a dedicated mounting track, dedicated accessories or properly selected screws
- can be easily connected into runs

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS









Material	aluminum	Length	Ref
Color	 silver anodized	1000 mm	18039ANODA_1
With the possibility of sealing up to IP	20	2005 mm	18039ANODA_2
Possible shapes of the luminaire	rectangular	3010 mm	18039ANODA_3
LED gluing width A	27.6 mm		
Number of LED strips A (8 mm wide)	3		
Width	30 mm		
The cover is cut to the length of the profile	yes		
Can be easily connected into runs	yes		
Main lighting	yes		
Decorative lighting	yes		
Wire out back of extrusion	yes		

Profile 3035

Ref. 18039

KLUŚ Inspiring
Solutions


SAMPLE PROJECTS



Profile 3035

Ref. 18039










KLUŚ Inspiring
Solutions



Profile 3035








Ref. 18039

KLUŚ Inspiring
Solutions



Profile 3035

Ref. 18039



COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
3035	PC	62	☐ frosted	17141


Profile 3035

Ref. 18039


END CAPS

NAME		MATERIAL	COLOR	REF.
3035		ABS	 gray	24273
3035-HQ		aluminum	 gray	42624

OTHER ACCESSORIES



SPRING
BLOK
42731V1



SPRING
GP
00293



HEAD
BZP-ZO
42214



HEAD
BZP-ZZ
42215



HEAD
BZP
42213



FASTENER
FI-8-LIN-ZMZ
42286, 42286L9010,
42286L9005



FASTENER
PUSZ-LIN-ZM
42275, 42275L9010,
42275L9005



FASTENER
UCHO-ZM
42512, 42525



FASTENER
DP-ZO
00649



FASTENER
DP-ZZ
00651



FASTENER
PUSZ-LIN-MR
42278, 42278L9010,
42278L9005



FASTENER
PUSZ-PRET-ZM
42276, 42276L9010,
42276L9005



FASTENER
PUSZ-PRET-LEB
42280, 42280L9010,
42280L9005



FASTENER
FI-10-ZM-P
42244



FASTENER
FI-10-ZM-W
42242

Profile 3035

Ref. 18039




CONNECTOR
ZM-180
42717



CONNECTOR
ZM-135-G
42310




CONNECTOR
ZM-Y120-G
42336



CONNECTOR
ZM-X90-G
42334




CONNECTOR
ZM-X45-G
42330




CONNECTOR
ZM-T90-G
42328



CONNECTOR
ZM-PION-120
42320




CONNECTOR
ZM-PION-45
42314



CONNECTOR
ZM-120-G
42308



CONNECTOR
ZM-PION-135
42719



CONNECTOR
ZM-90-G
42306



CONNECTOR
ZM-60-G
42304




CONNECTOR
ZM-45-G
42338



CONNECTOR
ZM-120
42728



CONNECTOR
ZM-90
42716




CONNECTOR
ZM-PION-90
42718




CONNECTOR
ZM-135
42720




CONNECTOR
ZM-MINI-180
44501




FASTENER SET
M12
42610



FASTENER SET
M13
42611



FASTENER
ZM-150
42118



FASTENER
ZM-500
42119



FASTENER SET
RG-1
42647NI, 42647GSS,
42647L9010, 42647L9005



FASTENER SET
RD-1
42658NI, 42658GSS,
42658L9005, 42658L9010



FASTENER SET
RD-2
42653NI, 42653GSS,
42653L9010, 42653L9005

Profile 3035

Ref. 18039



FASTENER SET

RD-3

42659NI, 42659GSS,
42659L9010, 42659L9005



FASTENER SET

RD-4

42657NI, 42657GSS,
42657L9010, 42657L9005



GLAND

6,4x3

42264



ISOLATING BASES

ARMSTRONG


42712



CONNECTOR

ZM-60

42736



BLOCK

ZM

42520