


Profile KOPRO-30

Ref. B7890



- Installation in corners
- Lighting angle: 30 Degrees
- Wide range of accessories
- Cable management space


APPLICATION

- under-cabinet and functional lighting

MONTAGE

- to the surface, using dedicated accessories, mounting adhesive or properly selected screws
- can be easily connected into runs

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum	Length	Ref
Color	■ silver anodized	1000 mm	B7890ANODA_1
With the possibility of sealing up to IP	20	2005 mm	B7890ANODA_2
Possible shapes of the luminaire	rectangular, square	3010 mm	B7890ANODA_3
Lighting at an angle	30		
LED gluing width A	22 mm		
Number of LED strips A (8 mm wide)	2		
Width	44.6 mm		
The cover is cut to the length of the profile	yes		
Can be easily connected into runs	yes		
Under-cabinet lighting	yes		

Profile KOPRO-30

Ref. B7890

Functional lighting	yes
Possibility of obtaining a line of light	yes
Wire out back of extrusion	yes

SAMPLE PROJECTS



COVERS

NAME		MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
KOPRO-L		PC	66 %	 frosted	17092
KOPRO-P		PC	66 %	 frosted	17091

END CAPS

NAME		MATERIAL	COLOR	REF.
KOPRO-30-L-P		PP	 gray	24172
			 silver	24176
KOPRO-30-L-L		PP	 gray	24173
			 silver	24177
KOPRO-30-P-P		PP	 gray	24174
			 silver	24178
KOPRO-30-P-L		PP	 gray	24175
			 silver	24179

Profile KOPRO-30

Ref. B7890

LED



K-1210-12V
K-1210-12V




K-1210-24V
K-1210-24V




K-1220-12V
K-1220-12V



K-1275-24V
K-1275-24V




K-1820-HD-24V
K-1820-HD-24V




K-1910-HD-24V
K-1910-HD-24V




WP-K-1640-HD-IP65-24V
WP-K-1640-HD-IP65-24V



WP-K-1210-12V
WP-K-1210-12V



WP-K-1210-24V
WP-K-1210-24V



WP-K-1220-12V
WP-K-1220-12V




WP-K-1220-24V
WP-K-1220-24V



WP-K-1275-12V
WP-K-1275-12V



WP-K-1275-24V
WP-K-1275-24V



WP-K-1820-HD-24V
WP-K-1820-HD-24V




WP-K-1910-HD-IP65-24V
WP-K-1910-HD-IP65-24V




WP-K-1220-IP65-12V
WP-K-1220-IP65-12V



WP-K-1220-IP65-24V
WP-K-1220-IP65-24V




K-HE-0480-HD-24V
K-HE-0480-HD-24V



K-HE-0960-HD-24V
K-HE-0960-HD-24V




K-HE-1440-HD-24V
K-HE-1440-HD-24V




K-HE-1920-HD-24V
K-HE-1920-HD-24V




K-LR-1000-24V
K-LR-1000-24V



K-1275-RGB-12V
K-1275-RGB-12V




K-1275-RGB-24V
K-1275-RGB-24V




K-1920-RGB+W-24V
K-1920-RGB+W-24V

Profile KOPRO-30

Ref. B7890



WP-K-1275-RGB-12V
WP-K-1275-RGB-12V



WP-K-1275-RGB-24V
WP-K-1275-RGB-24V



WP-K-1920-RGB+W-24V
WP-K-1920-RGB+W-24V



K-1530-RGB+W-24V
K-1530-RGB+W-24V




WP-K-1530-RGB+W-24V
WP-K-1530-RGB+W-24V




K-1920-120-RGB-24V
K-1920-120-RGB-24V




WP-K-1920-120-RGB-24V
WP-K-1920-120-RGB-24V




K-27/65-1920-24V
K-27/65-1920-24V



WP-K-27/65-1920-24V
WP-K-27/65-1920-24V



K-22/50-1728-24V
K-22/50-1728-24V



K-30/18-1770-24V
K-30/18-1770-24V



WP-K-22/50-1728-24V
WP-K-22/50-1728-24V



WP-K-30/18-1770-24V
WP-K-30/18-1770-24V

OTHER ACCESSORIES




CONNECTOR
ZM-180
42717



CONNECTOR
ZM-PION-135
42719



CONNECTOR
ZM-135
42720



CONNECTOR
ZM-PION-90
42718



CONNECTOR
ZM-90
42716




CONNECTOR
ZM-120
42728



CONNECTOR
ZM-45-G
42338



CONNECTOR
ZM-60-G
42304



CONNECTOR
ZM-90-G
42306



CONNECTOR
ZM-120-G
42308

Profile KOPRO-30

Ref. B7890

KLUŚ Inspiring
Solutions



CONNECTOR
ZM-135-G
42310



CONNECTOR
ZM-PION-45
42314



CONNECTOR
ZM-PION-120
42320



CONNECTOR
ZM-MINI-180
44501



GLAND
6,4x3
42264



ISOLATING BASES
FI-3
42203



ISOLATING BASES
FI-5
42204



ISOLATING BASES
FI-6
42205



CONNECTOR
ZM-60
42736