


Profile LARKO

Ref. B5552



- Mounting to drywall
- Invisible groove edge


APPLICATION

- main and decorative lighting

MONTAGE

- recessed, using dedicated accessories
- can be easily connected into runs

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum	Color	Length	Ref
With the possibility of sealing up to IP	20, 65	■ silver anodized	1000 mm	B5552ANODA_1
Possible shapes of the luminaire	polygonal		2005 mm	B5552ANODA_2
LED gluing width A	24 mm		3010 mm	B5552ANODA_3
Number of LED strips A (8 mm wide)	3	□ white lacquered	2005 mm	B5552L9010OD_2
Width	46.2 mm		3010 mm	B5552L9010OD_3
The cover is cut to the length of the profile	yes			
Can be easily connected into runs	yes			
Main lighting	yes			
Decorative lighting	yes			
Functional lighting	yes			
Mounting to drywall	yes			

Profile LARKO

Ref. B5552

KLUŚ Inspiring
Solutions

Wire out back of extrusion

yes

SAMPLE PROJECTS




COVERS

NAME		MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
LIGER-22		PC	62	☐ frosted	17032V1
			39	☒ black	17087
HS-22		PC	73	☐ frosted	17011
			94	☒ clear	17022
G-K		PMMA	50	☐ frosted	17007
			88	☐ semi-transparent	00415
			24	☒ black	17014
G-L		PMMA	47	☐ frosted	00413
			69		17010
			95	☒ clear	17006
			85	☐ semi-transparent	17008
			30	☒ black	17012
MUN-22		PC	86	☐ semi-transparent	17042


END CAPS

NAME	MATERIAL	COLOR	REF.
LARKO		 gray	24006
		 white	24410
		 silver	24102

LED



K-1210-12V
K-1210-12V



K-1210-24V
K-1210-24V



K-1220-12V
K-1220-12V



K-1220-24V
K-1220-24V




K-1275-12V
K-1275-12V



K-1275-24V
K-1275-24V




K-1820-HD-24V
K-1820-HD-24V




K-1910-HD-24V
K-1910-HD-24V



WP-K-1640-HD-IP65-24V
WP-K-1640-HD-IP65-24V



WP-K-1210-12V
WP-K-1210-12V




WP-K-1210-24V
WP-K-1210-24V



WP-K-1220-12V
WP-K-1220-12V




WP-K-1220-24V
WP-K-1220-24V



WP-K-1275-12V
WP-K-1275-12V



WP-K-1275-24V
WP-K-1275-24V



WP-K-1820-HD-24V
WP-K-1820-HD-24V



WP-K-1910-HD-IP65-24V
WP-K-1910-HD-IP65-24V




WP-K-1220-IP65-12V
WP-K-1220-IP65-12V




WP-K-1220-IP65-24V
WP-K-1220-IP65-24V




K-HE-0480-HD-24V
K-HE-0480-HD-24V




K-HE-0960-HD-24V
K-HE-0960-HD-24V




K-HE-1440-HD-24V
K-HE-1440-HD-24V



K-HE-1920-HD-24V
K-HE-1920-HD-24V




K-LR-1000-24V
K-LR-1000-24V




K-1275-RGB-24V
K-1275-RGB-24V




K-1920-RGB+W-24V
K-1920-RGB+W-24V



WP-K-1275-RGB-12V
WP-K-1275-RGB-12V



WP-K-1275-RGB-24V
WP-K-1275-RGB-24V



WP-K-1920-RGB+W-24V
WP-K-1920-RGB+W-24V



K-1530-RGB+W-24V
K-1530-RGB+W-24V




WP-K-1530-RGB+W-24V
WP-K-1530-RGB+W-24V




K-1920-120-RGB-24V
K-1920-120-RGB-24V



WP-K-1920-120-RGB-24V
WP-K-1920-120-RGB-24V



K-27/65-1920-24V
K-27/65-1920-24V



WP-K-27/65-1920-24V
WP-K-27/65-1920-24V




K-22/50-1728-24V
K-22/50-1728-24V



K-30/18-1770-24V
K-30/18-1770-24V



WP-K-22/50-1728-24V
WP-K-22/50-1728-24V



WP-K-30/18-1770-24V
WP-K-30/18-1770-24V

OTHER ACCESSORIES



SPRING
KMA
00838V1



LATCH
TEKNIK
24003



GLAND
6,4x3
42264



MASKING COVER
MP-22
17167, 17167L9010,
17167L9005



CONNECTOR
ZM-NA-180
42724




CONNECTOR
ZM-NA-135
42725



CONNECTOR
ZM-NA-60
42305




CONNECTOR
ZM-NA-PION-45
42315



CONNECTOR
ZM-NA-PION-60
42317




CONNECTOR
ZM-NA-PION-120
42321



CONNECTOR
ZM-NA-45
42339




CONNECTOR
ZM-NA-90
42723




CONNECTOR
ZM-NA-PION-90
42726




CONNECTOR
ZM-NA-PION-135
42727




COUPLER
L135
L135




COUPLER
L135PW
L135PW




COUPLER
L135PZ
L135PZ



COUPLER
L90
L90



COUPLER
L90PW
L90PW




COUPLER
L90PZ
L90PZ


Profile LARKO

Ref. B5552


KLUŚ Inspiring
Solutions




COUPLER
X135
X135




COUPLER
X90
X90



COUPLER
T135L
T135L



COUPLER
T135R
T135R



COUPLER
T90
T90



FASTENER
OS22-LIN-Z
42341L9005, 42341L9010



FASTENER
OS22-PRET-Z
42344L9005, 42344L9010



FASTENER
OS22-DUO-LIN-Z
42340L9005, 42340L9010



FASTENER
OS22-DUO-PRET-Z
42343L9005, 42343L9010