


- Backlight and attachment for transparent panels with a thickness of 6 mm | 0.24"
- High mechanical resistance

#### PDF\_PRZEZNACZENIE\_PRODUKTU

- surface mounting and decorative illumination of transparent signs and panels


#### PDF\_MONTAZ

- to the surface, using properly selected screws

#### PDF\_INFO\_DODATKOWE

- with a vertically attached profile, the panel must not protrude more than 51 cm from the wall. Its vertical dimension must not be less than 60% of the horizontal dimension
- with a horizontally attached profile, the panel must not protrude more than 51 cm from the ceiling



#### PDF\_RYS\_TECH



#### PDF\_SPEC\_TECH

| Materiał                             | aluminium                                                                                            | Długość | Ref          |
|--------------------------------------|------------------------------------------------------------------------------------------------------|---------|--------------|
| Kolor                                |  srebrny anodized | 1000 mm | 18043ANODA_1 |
| Z możliwością uszczelnienia do IP    | 20                                                                                                   | 2005 mm | 18043ANODA_2 |
| Możliwe do uzyskania kształty oprawy | prostokątny                                                                                          | 3010 mm | 18043ANODA_3 |
| Szerokość klejenia LED A             | 11 mm                                                                                                |         |              |
| Liczba pasków LED A (szerokość 8 mm) | 1                                                                                                    |         |              |
| Szerokość                            | 21.5 mm                                                                                              |         |              |
| Oświetlenie dekoracyjne              | tak                                                                                                  |         |              |
| Oświetlenie ostrzegawcze             | tak                                                                                                  |         |              |
| Wyprowadzenie przewodu od spodu      | tak                                                                                                  |         |              |

## PDF\_PRZYKLADOWE\_REALIZACJE



## PDF\_AKCESORIAZASLEPKI

| PDF_NAZWA |                                                                                     | PDF_MATERIAL | PDF_KOLOR                                                                                   | PDF_NRREF |
|-----------|-------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------------|-----------|
| EX        |    | stal         |  szary   | 0963      |
| EX-3D     |    | PU           |  biały   | 0962      |
| EX-3D-OTW |  | PU           |  biały | 1452      |

## PDF\_LEDPOWIAZANE



**K-1210-12V**  
K-1210-12V



**K-1210-24V**  
K-1210-24V



**K-1220-12V**  
K-1220-12V




**K-1220-24V**  
K-1220-24V




**K-1275-12V**  
K-1275-12V




**K-1275-24V**  
K-1275-24V




**K-1820-HD-24V**  
K-1820-HD-24V




**K-1910-HD-24V**  
K-1910-HD-24V



**WP-K-1640-HD-IP65-24V**  
WP-K-1640-HD-IP65-24V



**WP-K-1210-12V**  
WP-K-1210-12V




**WP-K-1210-24V**  
WP-K-1210-24V



**WP-K-1220-12V**  
WP-K-1220-12V



**WP-K-1220-24V**  
WP-K-1220-24V



**WP-K-1275-12V**  
WP-K-1275-12V



**WP-K-1275-24V**  
WP-K-1275-24V




**WP-K-1910-HD-IP65-24V**  
WP-K-1910-HD-IP65-24V




**WP-K-1220-IP65-12V**  
WP-K-1220-IP65-12V




**WP-K-1220-IP65-24V**  
WP-K-1220-IP65-24V




**K-HE-0480-HD-24V**  
K-HE-0480-HD-24V




**K-HE-0960-HD-24V**  
K-HE-0960-HD-24V




**K-HE-1440-HD-24V**  
K-HE-1440-HD-24V




**K-HE-1920-HD-24V**  
K-HE-1920-HD-24V



**K-LR-1000-24V**  
K-LR-1000-24V




**K-1275-RGB-12V**  
K-1275-RGB-12V



**K-1275-RGB-24V**  
K-1275-RGB-24V




**K-1530-RGB+W-24V**  
K-1530-RGB+W-24V




**K-1920-120-RGB-24V**  
K-1920-120-RGB-24V




**WP-K-1920-120-RGB-24V**  
WP-K-1920-120-RGB-24V



**K-27/65-1920-24V**  
K-27/65-1920-24V



**K-22/50-1728-24V**  
K-22/50-1728-24V



**K-30/18-1770-24V**  
K-30/18-1770-24V

PDF\_AKCESORIAINNE



DŁAWNICA

**6x1,2**  
00802