



13 Wall & Ceiling LED>Adjustable COB Cylinders

12208XA/W/W



2 x 8W Surface dimmable cylinder with COB LED.

Complete with 350mA constant current dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Adjustable COB Cylinders
Order Code	12208XA/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	150mm
Width	80mm
Height	100mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x8W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	42V
Safety Class	
Power(Watts)	14,7W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Citizen
LED Number	2

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz
Power(Watts)
Power Factor
Constant Current
350mA
IP Rating
Safety Class
Housing Material
Brand

Yes
8,75-14,7W
0,9
Yes
25-42V
IP20

Plastic
AlDimming

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
2x640lm
80lm/W
90
36°


Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

0.908kg
24
5291889064725
9405413990

Warranty	3 Years
Weee Directive	Yes

switch to
one light!

