



Product Datasheet

www.1-light.eu

New 2023 Edition 3>Office & Kitchen

38161A/B/C



50W UGR19 Linear system with diffuser for surface or suspended installation, ideal for offices.

Complete with 1250mA driver, 5pcs fixing clips & 4pcs connectors.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Accessories



050170



Physical Specification

Item Group	New 2023 Edition 3
Family	Office & Kitchen
Order Code	38161A/B/C
Colour	Black
Material	Aluminium
Shape	Rectangular
Length	1500mm
Width	75mm
Height	75mm
Surface Ceiling	Yes
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Cable Length	300cm
F Mark	

Fitting

Input Type
Input Current
Voltage
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand

Constant Current
1250mA
37V
46,25W
IP20
LED built in
SMD 2835
Epistar

Gear

Gear Type
Input Voltage
Power(Watts)
Power Factor
Constant Current
1250mA
IP Rating
Safety Class
Dimmable
Brand

Led Driver
220-240V
35-50W
0,9
Yes
28-40V
IP20

No
BOKE

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram
UGR

4000K
4250lm
85lm/W
90

19

Packing Info

Box Weight	3.780kg
Pcs/Carton	9
Barcode	5291889077411
HS Code	9405413990

Certification & Warranty

Warranty	3 years
----------	---------

switch to
one light!

