




# Product Datasheet

www.1-light.eu

New 2023 Edition 3>Office & Kitchen

38161A/B/W



50W UGR19 Linear system with diffuser for surface or suspended installation, ideal for offices.

Complete with 1250mA driver, 5pcs fixing clips & 4pcs connectors.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Accessories



050170



Physical Specification

|                   |                    |
|-------------------|--------------------|
| Item Group        | New 2023 Edition 3 |
| Family            | Office & Kitchen   |
| Order Code        | 38161A/B/W         |
| Colour            | Black              |
| Material          | Aluminium          |
| Shape             | Rectangular        |
| Length            | 1500mm             |
| Width             | 75mm               |
| Height            | 75mm               |
| Surface Ceiling   | Yes                |
| Suspended Ceiling | Yes                |
| Indoor            | Yes                |
| Adjustable        | No                 |

Electrical Characteristics

|                  |                                                                                       |
|------------------|---------------------------------------------------------------------------------------|
| Gear             | Built In                                                                              |
| Fitting + Driver |                                                                                       |
| Input Voltage    | 220-240V                                                                              |
| 50 Hz            | Yes                                                                                   |
| 60 Hz            | Yes                                                                                   |
| Safety Class     |  |
| Power(Watts)     | 50W                                                                                   |
| IP Rating        | IP20                                                                                  |
| Light Source     | LED built in                                                                          |
| Dimmable         | No                                                                                    |
| Cable Length     | 300cm                                                                                 |
| F Mark           |  |

Fitting

|               |
|---------------|
| Input Type    |
| Input Current |
| Voltage       |
| Power(Watts)  |
| IP Rating     |
| Light Source  |
| LED Type      |
| LED Brand     |

|                  |
|------------------|
| Constant Current |
| 1250mA           |
| 37V              |
| 46,25W           |
| IP20             |
| LED built in     |
| SMD 2835         |
| Epistar          |

Gear

|                  |
|------------------|
| Gear Type        |
| Input Voltage    |
| Power(Watts)     |
| Power Factor     |
| Constant Current |
| 1250mA           |
| IP Rating        |
| Safety Class     |
| Dimmable         |
| Brand            |

|                                                                                       |
|---------------------------------------------------------------------------------------|
| Led Driver                                                                            |
| 220-240V                                                                              |
| 35-50W                                                                                |
| 0,9                                                                                   |
| Yes                                                                                   |
| 28-40V                                                                                |
| IP20                                                                                  |
|  |
| No                                                                                    |
| BOKE                                                                                  |

Illumination Data

|                      |
|----------------------|
| Colour Temperature   |
| Lumen Output         |
| Light Efficiency     |
| CRI                  |
| Illumination Diagram |
| UGR                  |

|                                                                                       |
|---------------------------------------------------------------------------------------|
| 3000K                                                                                 |
| 4250lm                                                                                |
| 85lm/W                                                                                |
| 90                                                                                    |
|  |
| 19                                                                                    |

Packing Info

|            |               |
|------------|---------------|
| Box Weight | 3.780kg       |
| Pcs/Carton | 9             |
| Barcode    | 5291889077428 |
| HS Code    | 9405413990    |

Certification & Warranty

|          |         |
|----------|---------|
| Warranty | 3 years |
|----------|---------|

switch to  
one light!

