



New 2023 Edition 4>Industrial & Floodlights

63200N/V



CCT Variable and power adjustable 120W/160W/200W SMD LED Industrial High Bay, IP65.

Supplied with 3-step dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	New 2023 Edition 4
Family	Industrial & Floodlights
Order Code	63200N/V
Colour	Black
Material	Aluminium
Diffuser Material	PC
Shape	Circular
Height	177mm
Diameter	350mm
Suspended Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Adjustable

No

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

120W/160W/200W

IP Rating

IP65

Light Source

LED built in

Dimmable

Yes

Dimmer type

3-Step Dimming

Cable Length

150cm

F Mark



Fitting

Input Type

Constant Current

IP Rating

IP65

Light Source

LED built in

LED Type

SMD 2835

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power Factor

0,9

Constant Current

Yes

Illumination Data

Colour Temperature	4000K-4700K-5700K
Lumen Output	30000lm (200W)
Light Efficiency	150lm/W
CRI	80
Beam Angle	90°
Illumination Diagram	

Packing Info

Pcs/Carton	1
Barcode	5291889078364
HS Code	9405413990

Certification & Warranty

Warranty	5 years
Weee Directive	Yes

switch to
one light!

one
LIGHT

