



07 Strips & Profiles>230V COB Flex Lightline

7872/W



COB LED strip 480LEDs/m, 12W/m, 230V, TRIAC Dimmable.

Supplied in 50 meters roll with 3M double face adhesive tape.

Supplied with EU plug and 1m cable.

Can be cut every 10 cm.

Avoid direct sunlight.


Complies with standard EN60598-1 and any other specific standards.



Downloads




Dimensions



Accessories



7872C



7872E



7872P

Physical Specification

Item Group	07 Strips & Profiles
Family	230V COB Flex Lightline
Order Code	7872/W
Material	Silicone



Shape
Length
Width
Surface Ceiling
Surface Wall
Surface Floor/Ground
Indoor
Outdoor

Rectangular
50000mm
12mm
Yes
Yes
Yes
Yes
Yes

Electrical Characteristics

Gear

No

Fitting + Driver

Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
Dimmer type
F Mark

220-240V
Yes
Yes

12W/m
IP66
LED built in
Yes
Triac


Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle

3000K
800lm/m
67lm/W
90
140°



Packing Info

Box Weight

0.106kg

Pcs/Carton

50

Barcode

5291889078531

HS Code

9405423100

Energy Label



Energy Class

G

Certification & Warranty

Warranty

3 years

Weee Directive

Yes

switch to
one light!

