Product Datasheet

www.1-light.eu

22 Drivers>The TRIAC Dimmable Range Adjustable constant current

89024UT




Constant current dimmable LED driver for 400/450/500/550mA LED spots / LED fittings.

Complies with standard EN61347-1 and any other specific standards.

IP20 TRIAC DIMMABLE CE

Downloads

Dimensions



Physical Specification

Item Group	22 Drivers
Family	The TRIAC Dimmable Range Adjustable constant current
Order Code	89024UT
Material	Plastic
Shape	Rectangular
Length	117mm
Width	46mm
Height	31mm
Indoor	Yes

Electrical Characteristics

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	Refer to Table
Power Factor	0,9
Constant Current	Yes
400mA	25-40V
450mA	25-40V
500mA	25-40V
550mA	25-40V
IP Rating	IP20
Safety Class	⧈
Dimmable	Yes
Dimmer type	Triac
Ambient Temp	50ºC
Operating Temp	90ºC
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud

Packing Info

Box Weight	0.130kg
Pcs/Carton	75
Barcode	5291889068761
HS Code	8504408390

Certification & Warranty

Warranty	5 years

switch to
one light!

